

DL-Methionine Feed Grade

Version number: 2.0

SECTION 1: Identification

1.1 Product identifier

Identification of the substance	DL-methionine
Trade name	<u>DL-Methionine Feed Grade</u>
CAS number	59-51-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Animal feed additive
--------------------------	----------------------

1.3 Details of the supplier of the safety data sheet

Valudor Products, LLC	Telephone: +1 (760) 635 8500
179 Calle Magdalena Suite 100	e-mail: info@valudor.com
Encinitas, California CA 92024	Website: www.valudor.com
United States	

1.4 Emergency telephone number

Emergency information	800-535-5053 (Infotrac)
As above or nearest toxicological information center.	

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
B.cD	combustible dust	Comb. Dust	cD	OSHA003

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Signal word	warning
Pictograms	Not required.

Hazard statements	
OSHA003	May form combustible dust concentrations in air.

DL-Methionine Feed Grade

Version number: 2.0

2.3 Other hazards

Dust explosion hazards.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	DL-methionine
Identifiers	
CAS No	59-51-8
Molecular formula	C ₅ H ₁₁ NO ₂ S
Molar mass	149.2 g/mol
Purity	≥ 99%

SECTION 4: First-aid measures

4.1 Description of first-aid measures

General notes

Self-protection of the first aider.

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Following eye contact

Irrigate copiously with clean, fresh water, holding the eyelids apart.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Following ingestion

Rinse mouth. Do not induce vomiting.

Get medical advice/attention if you feel unwell.

In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Notes for the doctor

DL-Methionine Feed Grade

Version number: 2.0

None.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

water, foam, alcohol resistant foam, fire extinguishing powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous decomposition products: Section 10.

Danger of dust explosion.

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂), sulfur oxides (SO_x), toxic gases/vapours

5.3 Advice for firefighters

Keep containers cool with water spray.

In case of fire and/or explosion do not breathe fumes.

Coordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

chemical protection suit, self-contained breathing apparatus (SCBA)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Control of dust.

Eliminate all ignition sources if safe to do so.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

DL-Methionine Feed Grade

Version number: 2.0

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water.
Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.
Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.
Collect spillage.

Appropriate containment techniques

Neutralization techniques.

Other information relating to spills and releases

Place in appropriate containers for disposal.
Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.
Personal protective equipment: see section 8.
Incompatible materials: see section 10.
Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.
Keep away from sources of ignition - No smoking.
Take precautionary measures against static discharge.
Removal of dust deposits.
Only vacuum cleaners containing no ignition sources may be used for combustible dusts.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.

Specific notes/details

Layers, deposits and heaps of combustible dust must be considered, like any other source which can form a hazardous explosive atmosphere.
Danger of dust explosion.

Handling of incompatible substances or mixtures

Do not mix with alkali.

Measures to protect the environment

Avoid release to the environment.
Do not empty into drains; dispose of this material and its container at hazardous or special waste col-

DL-Methionine Feed Grade

Version number: 2.0

lection point.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

7.2 Conditions for safe storage, including any incompatibilities

Explosive atmospheres

Removal of dust deposits.

Only vacuum cleaners containing no ignition sources may be used for combustible dusts.

Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Ground/bond container and receiving equipment.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Store away from oxidizing agents.

Protect against external exposure, such as

heat, humidity

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Ventilation requirements

Provision of sufficient ventilation.

Specific designs for storage rooms or vessels

Store in a dry place. Store in a closed container.

Store in a well-ventilated place. Keep cool.

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

No constituent of the product currently has a known exposure limit.

8.2 Exposure controls

Appropriate engineering controls

Use local and general ventilation.

DL-Methionine Feed Grade

Version number: 2.0

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
NBR: acrylonitrile-butadiene rubber	≥ 0,11 mm	>480 minutes (permeation: level 6)
NR: natural rubber, latex	≥ 0,5 mm	>480 minutes (permeation: level 6)
NBR: acrylonitrile-butadiene rubber	≥ 0,2 mm	>30 minutes (permeation: level 2)

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Body protection

Protective clothing for use against solid particulates.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particle filter device (DIN EN 143).

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state

solid
(crystalline; powder, crystalline)

Color

white - light grey - (Gestis)

Odor

characteristic

Odor threshold

not determined

Other safety parameters

pH (value)

5 – 7 (in aqueous solution: 1 wt%)

Melting point/freezing point

281 °C
(sealed capillary, decomp.)

DL-Methionine Feed Grade

Version number: 2.0

Boiling point or initial boiling point and boiling range	not determined
Flash point	not applicable
Evaporation rate	not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosive limits	not determined
Vapor pressure	not determined
Density and/or relative density	
Density	these information are not available
Relative density	1.34 (water = 1)
Relative vapour density	not relevant (solid)
Solubility(ies)	
Water solubility	30 g/l at 20 °C (Gestis)
Partition coefficient	
n-octanol/water (log KOW)	these information are not available
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
Viscosity	not relevant (solid)
Explosive properties	dust explosion hazards
Oxidizing properties	none
Information for relevant hazard classes according to GHS	there is no additional information

9.2 Other information

Dust explosion class	ST 1 (weak explosive (rate of pressure; Kst > 0 - < 200 bar m/s))
----------------------	--

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

DL-Methionine Feed Grade

Version number: 2.0

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

Danger of dust explosion.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharge.
Protect from moisture.

10.5 Incompatible materials

bases, oxidizers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.
Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

If not otherwise specified the classification is based on:

Animal studies; Evidence from any other toxicity tests; Expert judgment (weight of evidence determination).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Shall not be classified as acutely toxic (dermal).

Exposure route	Endpoint	Value	Species	Source
oral	LD50	>5,000 mg/kg	rat	Supplier
oral	LD50	>5,000 mg/kg	mouse	Supplier
dermal	LD50	>2,000 mg/kg	mouse	Supplier

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitization

Skin sensitization

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Respiratory sensitization

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

DL-Methionine Feed Grade

Version number: 2.0

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Carcinogenicity

IARC Monographs

not listed

National Toxicology Program (United States)

not listed

OSHA Carcinogens

Not listed.

Reproductive toxicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - single exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - repeated exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Other information

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Based on available data, the classification criteria are not met.

Endpoint	Exposure time	Value	Species	Method	Source
LC50	96 h	>100 mg/l	japanese ricefish/medaka	-	Supplier
EC50	48 h	>1,000 mg/l	daphnia magna	-	Supplier
ErC50	72 h	>1,000 mg/l	green algae	-	Supplier

Aquatic toxicity (chronic)

Based on available data, the classification criteria are not met.

Endpoint	Exposure time	Value	Species	Method	Source
NOEC	72 h	32 mg/l	green algae	-	Supplier

DL-Methionine Feed Grade

Version number: 2.0

Endpoint	Exposure time	Value	Species	Method	Source
NOEC	21 d	32 mg/l	daphnia magna	-	Supplier

12.2 Persistence and degradability

Biodegradation

No data available.

Persistence

No data available.

12.3 Bioaccumulative potential

No data available.

12.4 Mobility in soil

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Remarks

None.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packages

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-

DL-Methionine Feed Grade

Version number: 2.0

14.6 Special precautions for user -

14.7 Transport in bulk according to IMO instruments -

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) Additional information

Not subject to transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) Substance is listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

Not listed

Specific Toxic Chemical Listings (EPCRA Section 313)

Not listed

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Not listed

Clean Air Act

Not listed

Right to Know Hazardous Substance List

Toxic or Hazardous Substance List (MA-TURA)

Not listed

Hazardous Substances List (MN-ERTK)

Not listed

Hazardous Substance List (NJ-RTK)

Not listed

Hazardous Substance List (Chapter 323) (PA-RTK)

Not listed

Hazardous Substance List (RI-RTK)

Not listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Not listed

DL-Methionine Feed Grade

Version number: 2.0

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

Not listed

SECTION 16: Other information, including date of preparation or last revision

Date of preparation: 2024-06-17

Date of last revision: 2025-07-24.

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
49 CFR US DOT	49 CFR U.S. Department of Transportation
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IARC Monographs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NOEC	No Observed Effect Concentration
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200 (May 20, 2024 eff. July 19, 2024).

Transport of dangerous goods by road or rail (49 CFR US DOT).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

DL-Methionine Feed Grade

Version number: 2.0

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
OSHA003	May form combustible dust concentrations in air.

Responsible for the safety data sheet

Chemical Regulatory Compliance Com- Telephone: +1 (630) 410-1660
pany e-Mail: GHS@crc-us.com
Jasper, GA Website: www.crc-us.com
USA

Disclaimer

This information is based upon the present state of our knowledge.
This SDS has been compiled and is solely intended for this product.