

Manganese Chloride anhydrous

Version number: 2.0

SECTION 1: Identification

1.1 Product identifier

Identification of the substance	Manganese dichloride
Trade name	<u>Manganese Chloride anhydrous</u>
CAS number	7773-01-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Chemicals for various applications
--------------------------	------------------------------------

1.3 Details of the supplier of the safety data sheet

Valudor Products, LLC	Telephone: +1 (760) 635 8500
179 Calle Magdalena Suite 100	e-mail: info@valudor.com
Encinitas, California CA 92024	Website: www.valudor.com
United States	

1.4 Emergency telephone number

Emergency information	800-535-5053 (Infotrac)
As above or nearest toxicological information center.	

SECTION 2: Hazard(s) identification

2.1 Classification of the substance or mixture

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
A.10	acute toxicity (oral)	3	Acute Tox. 3	H301
A.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
A.9	specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Manganese Chloride anhydrous

Version number: 2.0

Signal word danger

Pictograms

GHS05, GHS06, GHS08



Hazard statements

H301 Toxic if swallowed.

H318 Causes serious eye damage.

H373 May cause damage to organs (brain) through prolonged or repeated exposure.

Precautionary statements

P260 Do not breathe dust.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P330 Rinse mouth.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Manganese dichloride

Identifiers

CAS No 7773-01-5

Molecular formula Cl₂Mn

Molar mass 125.8 g/mol

Purity > 98 %

SECTION 4: First-aid measures

4.1 Description of first-aid measures

Manganese Chloride anhydrous

Version number: 2.0

General notes

Self-protection of the first aider.

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

Wash contaminated clothing before reuse.

Following eye contact

Rinse immediately carefully and thoroughly with eye shower or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

Following ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Get immediate medical advice/attention.

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

water, foam, alcohol resistant foam, fire extinguishing powder, coordinate firefighting measures to the fire surroundings

Unsuitable extinguishing media

None

5.2 Special hazards arising from the substance or mixture

Hazardous decomposition products: Section 10.

5.3 Advice for firefighters

Non-combustible.

Keep containers cool with water spray.

In case of fire and/or explosion do not breathe fumes.

Manganese Chloride anhydrous

Version number: 2.0

Coordinate firefighting measures to the fire surroundings.
Do not allow firefighting water to enter drains or water courses.
Collect contaminated firefighting water separately.
Fight fire with normal precautions from a reasonable distance.

Special protective equipment for firefighters

chemical protection suit, Self-contained breathing apparatus (SCBA)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.
Ventilate affected area.
Control of dust.
Do not breathe dust.
Do not get in eyes, on skin, or on clothing.
Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water.
Retain contaminated washing water and dispose of it.
If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.
Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.
Collect spillage.

Other information relating to spills and releases

Place in appropriate containers for disposal.
Ventilate affected area.

6.4 Reference to other sections

Personal protective equipment: see section 8.
Incompatible materials: see section 10.
Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not get in eyes, on skin, or on clothing.
Do not breathe dust.

Manganese Chloride anhydrous

Version number: 2.0

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Do not empty into drains; dispose of this material and its container at hazardous or special waste collection point.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Preventive skin protection (barrier creams/ointments) is recommended.

7.2 Conditions for safe storage, including any incompatibilities

Flammability hazards

None.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Protect against external exposure, such as

heat, humidity

Consideration of other advice

Keep away from food, drink and animal feedingstuffs.

Store in a dry place. Store in a closed container.

Handle and store contents under inert gas. Protect from moisture.

Store in a well-ventilated place. Keep cool.

Ventilation requirements

Provision of sufficient ventilation.

Specific designs for storage rooms or vessels

Keep container tightly closed and in a well-ventilated place.

Packaging compatibilities

Only packagings which are approved (e.g. acc. to DOT) may be used.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

The following constituents are the only constituents of the product which have a PEL, a TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Manganese Chloride anhydrous

Version number: 2.0

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Notation	Source
US	manganese, inorganic compounds	7773-01-5	TLV®	-	0.1	-	-	i, Mn	ACGIH® 2024
US	manganese, inorganic compounds	7773-01-5	TLV®	-	0.02	-	-	r, Mn	ACGIH® 2024
US	manganese compounds	7773-01-5	PEL (CA)	-	0.2	-	-	Mn	Cal/OSHA PEL
US	manganese compounds	7773-01-5	REL	-	1 (10 h)	-	3	Mn	NIOSH REL
US	manganese compounds	7773-01-5	PEL	-	-	-	-	Mn	29 CFR 1910.1000

Notation

i inhalable fraction

Mn calculated as Mn (manganese)

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

Use local and general ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Hand protection

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Body protection

Protective clothing for use against solid particulates.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particle filter device (DIN EN 143).

Environmental exposure controls

Manganese Chloride anhydrous

Version number: 2.0

Use appropriate container to avoid environmental contamination.
Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid
Color	pink
Odor	characteristic
Odor threshold	not determined

Other safety parameters

pH (value)	not applicable
Melting point/freezing point	650 °C
Boiling point or initial boiling point and boiling range	1,190 °C
Flash point	not applicable
Evaporation rate	not determined
Flammability (solid, gas)	non-combustible
Explosive limits	not determined
Explosion limits of dust clouds	not determined
Vapor pressure	not determined
Density and/or relative density	
Density	not determined
Relative density	2.01 (water = 1)
Relative vapour density	not relevant (solid)
Solubility(ies)	
Water solubility	≥757 – ≤833 g/l at 20 °C (EU method A.6)
Partition coefficient	
n-octanol/water (log KOW)	not relevant (inorganic)
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
Viscosity	not relevant

Manganese Chloride anhydrous

Version number: 2.0

(solid)

Explosive properties

none

Oxidizing properties

none

Information for relevant hazard classes according to GHS

hazard classes acc. to GHS (physical hazards):
not relevant

9.2 Other information

there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Protect from moisture.

10.5 Incompatible materials

acids, alkali metal, peroxides, e.g. hydrogen peroxide, zinc

10.6 Hazardous decomposition products

Hydrogen chloride (HCl).

Metallic oxides containing heavy metals.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

If not otherwise specified the classification is based on:

Animal studies; Evidence from any other toxicity tests; Expert judgment (weight of evidence determination).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity

Toxic if swallowed.

Exposure route	Endpoint	Value	Species	Method	Source
inhalation: dust/mist	LC50	>4.45 mg/l/4h	rat	OECD Guideline 403	ECHA
oral	LD50	236 mg/kg	rat, female	-	ECHA

Skin corrosion/irritation

Manganese Chloride anhydrous

Version number: 2.0

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Respiratory sensitization

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Carcinogenicity

IARC Monographs

not listed

National Toxicology Program (United States)

not listed

OSHA Carcinogens

Not listed.

Reproductive toxicity

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - single exposure

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - repeated exposure

May cause damage to organs (brain) through prolonged or repeated exposure.

Exposure route	Endpoint	Value	Exposure time	Species	Method	Notes
oral	NOAEL	553 mg/kg bw /day	90 d	rat, male		Mn
inhalation: dust/mist	NOAEC	0.3 mg/m ³		monkey		Mn

Hazard category	Target organ	Exposure route
2	brain	if exposed

Aspiration hazard

Manganese Chloride anhydrous

Version number: 2.0

Shall not be classified as presenting an aspiration hazard.

11.2 Other information

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Based on available data, the classification criteria are not met.

Endpoint	Exposure time	Value	Species	Method	Source
ErC50	72 h	61 mg/l	algae (Desmod-esmus subspicatus)	OECD Guideline 201	ECHA

Aquatic toxicity (chronic)

Based on available data, the classification criteria are not met.

Endpoint	Exposure time	Value	Species	Method	Source
NOEC	72 h	1 mg/l	algae (Desmod-esmus subspicatus)	OECD Guideline 201	ECHA
NOEC	20 d	20 µg/l	Crassostrea gigas	-	ECHA
LOEC	72 h	3.2 mg/l	algae (Desmod-esmus subspicatus)	OECD Guideline 201	ECHA

12.2 Persistence and degradability

Biodegradation

The study does not need to be conducted because the substance is inorganic.

Persistence

The study does not need to be conducted because the substance is inorganic.

12.3 Bioaccumulative potential

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

n-octanol/water (log KOW) not relevant
(inorganic)

12.4 Mobility in soil

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Other adverse effects

Data are not available.

Remarks

Keep away from drains, surface and ground water.

Manganese Chloride anhydrous

Version number: 2.0

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packages

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number

DOT UN3288

IMDG-Code UN3288

ICAO-TI UN3288

14.2 UN proper shipping name

DOT Toxic solid, inorganic, n.o.s.

IMDG-Code TOXIC SOLID, INORGANIC, N.O.S.

ICAO-TI Toxic solid, inorganic, n.o.s.

Technical name Manganese dichloride

14.3 Transport hazard class(es)

DOT 6.1

IMDG-Code 6.1

ICAO-TI 6.1

14.4 Packing group

DOT III

IMDG-Code III

ICAO-TI III

14.5 Environmental hazards

-

14.6 Special precautions for user

-

14.7 Transport in bulk according to IMO instruments

-

Manganese Chloride anhydrous

Version number: 2.0

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road or rail (49 CFR US DOT) Additional information

Particulars in the shipper's declaration UN3288, Toxic solid, inorganic, n.o.s., (Manganese dichloride), 6.1, III

Danger label(s) 6.1



Special provisions (SP) IB8, IP3, T1, TP33

ERG No 151

International Maritime Dangerous Goods Code (IMDG) Additional information

Marine pollutant -

Danger label(s) 6.1



Special provisions (SP) 223, 274

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

EmS F-A, S-A

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) Additional information

Danger label(s) 6.1



Special provisions (SP) A3, A5

Excepted quantities (EQ) E1

Limited quantities (LQ) 10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

National regulations (United States)

Toxic Substance Control Act (TSCA) Substance is listed (ACTIVE)

Superfund Amendment and Reauthorization Act (SARA TITLE III)

Manganese Chloride anhydrous

Version number: 2.0

The List of Extremely Hazardous Substances and Their Threshold Planning Quantities (EPCRA Section 302, 304)

Not listed

Specific Toxic Chemical Listings (EPCRA Section 313)

Toxics Release Inventory: Specific Toxic Chemical Listings				
Name of substance	Name acc. to inventory	CAS No	Remarks	Effective date
Manganese dichloride	manganese compounds		-	1987-01-01

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

List of Hazardous Substances and Reportable Quantities (CERCLA section 102a) (40 CFR 302.4)

Not listed

Clean Air Act

Not listed

Right to Know Hazardous Substance List

Toxic or Hazardous Substance List (MA-TURA)

Name of substance	Name acc. to inventory	CAS No	DEP CODE	PBT / HHS / LHS	PBT / HHS Thres hold	De Minimis Concentration Threshold
Manganese dichloride	Manganese Compounds	-	1027	-	-	1.0 %

Hazardous Substances List (MN-ERTK)

Name of substance	Name acc. to inventory	CAS No	References	Remarks
Manganese dichloride	Manganese, elemental and compounds, as Mn	-	A, O	-

Legend

- A American Conference of Governmental Industrial Hygienists (ACGIH), "Threshold Limit Values for Chemical Substances and Physical Agents and Biological Exposure Indices for 1992-93", available from ACGIH
- O Occupational Safety and Health Administration (OSHA), Safety and Health Standards, Code of Federal Regulations, title 29, part 1910, subpart Z, "Toxic and Hazardous Substances, 1990." General information: Minnesota Department of Labor and Industry, Occupational Safety and Health Division

Hazardous Substance List (NJ-RTK)

Manganese Chloride anhydrous

Version number: 2.0

Name of substance	Name acc. to inventory	CAS No	Remarks	Classifications	Listed in	Substance number	DOT number
Manganese dichloride	manganese compounds	-	-		1 2 4 6 18 20	2324	-

Legend

- 1 Occupational Safety and Health Administration, 29 CFR 1910-Occupational Safety and Health Standards, Subpart Z-Toxic and Hazardous Substances, July 1, 2008.
- 18 List of Toxic Release Inventory Chemicals, Section 313, Emergency Planning and Community Right to Know Act (EPCRA), Toxic Release Inventory (TRI) Program, U.S. Environmental Protection Agency, 40 CFR 372.65, July 1, 2008.
- 2 "2009 TLVs® and BEIs®, Threshold Limit Values and Biological Exposure Indices," American Conference of Governmental Industrial Hygienists (ACGIH), 2009.
- 20 List of Hazardous Substances and Reportable Quantities (RQ), Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA), U.S. Environmental Protection Agency, 40 CFR 302, Table 302.4, July 1, 2008.
- 4 "NIOSH Pocket Guide to Chemical Hazards," National Institute for Occupational Safety and Health (NIOSH), U.S. Department of Health and Human Services, No. 2005-149, September 2005.
- 6 "Environmental Hazardous Substance List," New Jersey Department of Environmental Protection, N.J.A.C. 7:1G-2, as printed in the Community Right to Know Survey Instruction Book, 2008.

Hazardous Substance List (Chapter 323) (PA-RTK)

Name acc. to inventory	CAS No	Classification
MANGANESE	7439-96-5	*, E

Legend

- * Any compound of this substance is also an environmental hazard
- E Environmental hazard

Hazardous Substance List (RI-RTK)

Not listed

California Environmental Protection Agency (Cal/EPA): Proposition 65 - Safe Drinking Water and Toxic Enforcement Act of 1987

Not listed

Drug precursors, Chemicals designated within the Controlled Substances Act, 21 U.S.C. § 802, paragraphs 34 (list I) and 35 (list II)

Not listed

SECTION 16: Other information, including date of preparation or last revision

Date of preparation: 2023-01-03

Manganese Chloride anhydrous

Version number: 2.0

Date of last revision: 2025-07-17.

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
29 CFR 1910.1000	29 CFR 1910.1000, Tables Z-1, Z-2, Z-3 - Occupational Safety and Health Standards: Toxic and Hazardous Substances (permissible exposure limits)
49 CFR US DOT	49 CFR U.S. Department of Transportation
ACGIH® 2024	From ACGIH®, 2024 TLVs® and BEIs® Book. Copyright 2024. Reprinted with permission. Information on the proper use of the TLVs® and BEIs®: http://www.acgih.org/tlv-bei-guidelines/policies-procedures-presentations/tlv-bei-position-statement
Cal/OSHA PEL	California Division of Occupational Safety and Health (Cal/OSHA): Permissible Exposure Limits (PELs)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DEP CODE	Department of Environmental Protection Code
DGR	Dangerous Goods Regulations (see IATA/DGR)
DOT	Department of Transportation (USA)
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
ERG No	Emergency Response Guidebook - Number
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HHS	Higher hazard substance
IARC	International Agency for Research on Cancer
IARC Mono-graphs	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LHS	Lower hazard substance
LOEC	Lowest Observed Effect Concentration
NIOSH REL	National Institute for Occupational Safety and Health (NIOSH): Recommended Exposure Limits (RELs)
NOAEC	No Observed Adverse Effect Concentration

Manganese Chloride anhydrous

Version number: 2.0

Abbr.	Descriptions of used abbreviations
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OSHA	Occupational Safety and Health Administration (United States)
PBT	Persistent, Bioaccumulative and Toxic
PEL	Permissible exposure limit
ppm	Parts per million
STEL	Short-term exposure limit
TLV®	Threshold Limit Values
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200 (May 20, 2024 eff. July 19, 2024).

Transport of dangerous goods by road or rail (49 CFR US DOT).

International Maritime Dangerous Goods Code (IMDG).

Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H318	Causes serious eye damage.
H373	May cause damage to organs (brain) through prolonged or repeated exposure.

Responsible for the safety data sheet

Chemical Regulatory Compliance Com- Telephone: +1 (630) 410-1660
pany
Jasper, GA e-Mail: GHS@crc-us.com
USA Website: www.crc-us.com

Disclaimer

This information is based upon the present state of our knowledge.

This SDS has been compiled and is solely intended for this product.